

#### *Index of Claims*



Application Control No.

40/4000 0000

### Scenarios

Robert Madsen

**Applicant(s)/Patent under Reexamination**

MASCHEN, THOMAS J.

### Art Unit

12765

✓	Rejected	-	[Through numeral] Cancelled	N	Non-Elected	A	Appeal
✗	Allowed	+	Restricted	I	Interference	O	Objected

Chem	Final	Initial	Percent	Date
NaOH	10.2400	10.0000	102.4%	1/15/03
Ca(OH)2	0.1068	0.1000	106.8%	1/15/03
Na2CO3	1.7966	1.7500	106.6%	1/12/03
NaHCO3	2.7240	2.7500	98.9%	1/12/03

Class	Final	Original	Date
83		574.81	
84		1417.66	
85		1415.60	
86		1417.66	
87		1417.66	
88		1417.66	
89		1417.66	
90		1417.66	
91		1417.66	
92		1417.66	
93		1417.66	
94		1417.66	
95		1417.66	
96		1417.66	
97		1417.66	
98		1417.66	
1601		1417.66	

Claim	Final	Original	C724106	C724107	C724108
101	✓	✓	✓	✓	✓
102	✓	✓	✓	✓	✓
103	✓	✓	✓	✓	✓
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130					
131					
132					
133					
134					
135					
136					
137					
138					
139					
140					
141					
142					
143					
144					
145					
146					
147					
148					
149					
150					